ACCESSORIES



PEDESTRIAN GATE STOP

RMGA-01

- Custom-designed for pedestrian gates
- Holds the gate in an open position
- Foot-operated arm for easy release when closing



REAR MOUNTED HINGE

RMGA-02

- Optional hinge for gates mounted on the rear of a brick pier or posts
- Allows for lateral adjustment, simplifying installation



ADJUSTABLE HINGES

RMGA-03 (DG) / RMGA-07 (PG)

- Supplied as standard with all gates
- Adjustable for easy fitting between brickwork or posts

FLOOR MOUNTED HINGE

RMGA-04

- Supplied as standard with all gates
- Designed for use with aluminium posts
- Provides additional support when a wall-mounted hinge isn't an option

ACCESSORIES

GATE LOCK AND HANDLE SET

RMGA-05 (DG) / RMGA-09 (PG)

- RMGA-09 comes standard for pedestrian gates, ensuring secure locking
- RMGA-05 can be added to double gates as an optional manual locking system

GATE STOP

RMGA-06

- Designed for double gates
- Prevents gates from swinging past their stop position
- Works with gates fitted with a lock and handle; the adjustable arm can be removed for automatic gates

LOCINOX KEYDROP

RMGL01/02

A lockable drop bolt that can be secured in both the open and closed positions. Available in black and anthracite grey, offering enhanced security for manually operated gates

LOCINOX ALUMINIUM GATE HOLD-BACK CATCHHOLD-BACK CATCH

RMGL05

Durable aluminium gate catcher with an adjustable and reversible hook. Features a rubber stop and polyamide catch to protect the gate frame. Designed for fast and secure fixing in concrete.

OPTIONAL EXTRAS

LOCINOX BOLT-ON OFF-CENTRED GROUND STOP

RMGL06

Robust surface-mounted ground stop for double-wing gates. Suitable for drop bolts with a maximum diameter of 20mm.

B-SAFE STAINLESS STEEL SAFETY CABLE

RMGA-02

Prevents gate collapse in the event of hinge failure. Patented Quick-Fix system allows secure installation into the gate post. Rated for gates up to 500 kg, with a load capacity of 1000 kg.